

iQ[®] Granit[™] | iQ Eminent[™]

HOMOGENEOUS VINYL SHEET + TILE



restorative design with
trusted performance

 **Tarkett**



Scandinavian sensibility with proven performance.

Created in Ronneby, Sweden, Tarkett's iQ® Granit™ embodies the very best of Scandinavian design. Every detail has a purpose, from superior infection control and softened acoustics options, to state-of-the-art technology that promises zero refinishing for the life of the floor. With organic patterns and a warm color palette, the collection is continually restored with a simple dry buffing—so your floor, your space and your people can maintain top performance.



iQ Granit 444 Yellow Brick | 458 Red Brick | 525 Red
iQ Eminent 885 Light Beige
iQ Eminent Unisense 939 Dusty Yellow

iQ: Intelligent quality for the most demanding environments

Beyond their soothing aesthetics, iQ products are scientifically engineered to prevent the spread of infection, simplify care and maintenance, and support better indoor air quality. The advanced composition of iQ homogeneous sheet flooring meets all the requirements for reducing the spread of pathogens in healthcare and education environments, while maximizing return on investment.

- Continuous, uninterrupted surface with heat-welded seams
- Superior scratch resistance helps eliminate crevices where pathogens can hide
- Easy to clean with neutral cleaners
- Withstands the weight of heavy rolling loads
- Chemical- and slip-resistant
- Continually restored with simple dry buffing - no wax or finish needed for the life of the floor



In clinical settings where infection control is a priority, iQ's flexible material can be formed to create an integral cove base between the floor and wall with a gentle radius to prevent accumulation of dust and dirt.



iQ GRANIT



Explore soft, tonal visuals inspired by the beauty and resilience of natural stone.

iQ Granit 160 Light Grey | 161 Grey | 328 Light Clay
342 Pastel Blue | 369 Light Aqua
iQ Eminent 906 Dusty White

iQ GRANIT



527 SOFT WHITE SAND W
460 Cotton W



325 WHITE BEIGE WB
49 Beige WB



320 WHITE SAND CB
22 Pearl CB



323 LIGHT SAND CB
22 Pearl CB



322 WARM SAND WB
09 Clay WB



298 SAND WB
129 Silk WB



324 WARM CLAY WB
45 Sandalwood WB



234 WARM LIGHT GREY WG
24 Grey Haze WG



296 WARM GREY WG
469 Mystify CG



297 WARM CONCRETE WG
29 Moon Rock WG



329 CLAY CB
80 Fawn CB




330 DARK CLAY CB
TA8 Welsh Castle CB



160 LIGHT GREY CG
TB3 Dover CG




161 GREY CG
TA5 Colonial Grey CG



188 DARK GREY CG
TG3 Iron Mountain CG



337 BROWN
47 Brown



755 SOFT BROWN
47 Brown



124 WHITE GREY CG
23 Vapor Grey CG



194 BLACK GREY CG
TA6 Bedrock CG




636 SOFT BLACK WG
20 Charcoal WG



328 LIGHT CLAY CB
121 Cement CB




321 DARK SAND CB
280 Shoreline



752 SOFT SAND BROWN B
264 Grounded



233 CONCRETE CG
TG2 Shark Fin CG




215 DARK CONCRETE WG
TA4 Gateway WG


Colorways from iQ Granit and iQ Granit Sense flow together for a palette that helps us retreat, reflect and recharge

◊ = Available in Acoustic


iQ GRANIT



341 LIGHT BLUE
84 Blue Jeans ◊



340 BLUE
18 Navy Blue




339 DARK BLUE
18 Navy Blue



627 SOFT BLACK GREY CG
TA6 Bedrock CG




211 BLACK B
40 Black B ◊



342 PASTEL BLUE
58 Windsor Blue




369 LIGHT AQUA
TG1 Snowbound W ◊




370 AQUA
VM5 Dream Teal



338 WHITE GREEN
27 Mist WG ◊




390 LIGHT GREEN
VM4 Green Smoke ◊



438 LIGHT OLIVE
151 Iguana



391 GREEN
VN4 Green Vista




392 PASTEL GREEN
VN3 Gecko




412 OLIVE
VN3 Gecko ◊




444 YELLOW BRICK
130 Sisal ◊



458 RED BRICK
VL9 Red Clay ◊



456 ORANGE
VM1 Hot Spice




525 RED
VL7 Sailor Red





Two visuals with differing scales offer greater color contrast and the handcrafted look of terrazzo.


iQ EMINENT



iQ EMINENT Unisense



This smaller, more refined palette coordinates with iQ Granit to enhance wayfinding and creative layouts.



The universal benefits of quiet.

According to research, decreasing noise levels can help improve student performance, including memory retention, motivation, reading ability, and test scores. Quieter healthcare settings have also been shown to improve clinical efficiency, diminish stress, and support the healing process. In addition to contributing to better indoor air quality, iQ Granit Acoustic reduces impact sound by 15 dB. These aren't just floors. They're the essential foundation to creating spaces for holistic wellness.



iQ GRANIT Acoustic




325 WHITE BEIGE WB
49 Beige WB



323 LIGHT SAND CB
22 Pearl CB



322 WARM SAND WB
09 Clay WB



298 SAND WB
129 Silk WB



324 WARM CLAY WB
45 Sandalwood WB




296 WARM GREY WG
469 Mystify CG



297 WARM CONCRETE WG
29 Moon Rock WG



329 CLAY CB
80 Fawn CB



160 LIGHT GREY CG
TB3 Dover CG



161 GREY CG
TA5 Colonial Grey CG




328 LIGHT CLAY CB
121 Cement CB



321 DARK SAND CB
280 Shoreline



188 DARK GREY CG
TG3 Iron Mountain CG




233 CONCRETE CG
TG2 Shark Fin CG



215 DARK CONCRETE WG
TA4 Gateway WG




369 LIGHT AQUA
TG1 Snowbound W



341 LIGHT BLUE
84 Blue Jeans



194 BLACK GREY CG
TA6 Bedrock CG




211 BLACK B
40 Black B



338 WHITE GREEN
27 Mist WG




390 LIGHT GREEN
VM4 Green Smoke



412 OLIVE
VN3 Gecko



444 YELLOW BRICK
130 Sisal



458 RED BRICK
VL9 Red Clay

This curated palette is designed to support moments of stillness and quiet reflection.

iQ GRANIT Weld Rod Chart

iQ Granit	iQ Granit Acoustic	Solid Weld Rod	Multicolor Weld Rods	LRV*
21142 124	-	1287 522	1290 167	56
21142 160	21155 160	1287 411	1290 283	65
21142 161	21155 161	1287 630	1290 286	50
21142 188	21155 188	1292 383	1290 021	29
21142 194	21155 194	1287 842	1290 412	15
21142 211	21155 211	1291 933	1290 035	6
21142 215	21155 215	1287 832	1290 358	19
21142 233	21155 233	1287 789	1290 340	39
21142 234	-	1287 279	1290 250	65
21142 296	21155 296	1292 770	1290 420	50
21142 297	21155 297	1287 693	1290 427	29
21142 298	21155 298	1287 797	1290 424	61
21142 320	-	1287 773	1290 374	56
21142 321	21155 321	1287 830	1290 361	33
21142 322	21155 322	1287 391	1290 143	41
21142 323	21155 323	1287 069	1290 422	64
21142 324	21155 324	1287 930	1290 255	41
21142 325	21155 325	1287 773	1290 036	63
21142 328	21155 328	1292 393	1290 248	54
21142 329	21155 329	1287 291	1290 343	40
21142 330	-	1291 847	1290 375	31
21142 337	-	1287 458	1290 344	18
21142 338	21155 338	1287 942	1290 431	54
21142 339	-	1287 594	1290 414	11
21142 340	-	1287 281	1290 273	20
21142 341	21155 341	1287 803	1290 425	44
21142 342	-	1287 939	1290 434	63
21142 369	21155 369	1287 509	1290 107	44
21142 370	-	1287 940	1290 433	25
21142 390	21155 390	1287 875	1290 413	52
21142 391	-	1287 937	1290 410	30
21142 392	-	1287 938	1290 411	64
21142 412	21155 412	1287 332	1290 280	37
21142 438	-	1287 357	1290 215	52
21142 444	21155 444	1291 772	1290 039	50
21142 456	-	1287 894	1290 415	35
21142 458	21155 458	1287 936	1290 409	29
21142 525	-	1288 376	1290 416	18

*Light Reflectance Value

Granit Sense	Solid Weld Rod	Multicolor Weld Rods	LRV*
21142 527	1287 944	-	74
21142 627	1287 842	-	21
21142 636	1294 727	-	16
21142 752	1287 546	-	18
21142 755	1287 458	-	18

iQ Eminent	Solid Weld Rod	Multicolor Weld Rods	LRV*
21030 126	1287 703	1290 243	65
21030 130	1292 384	1290 034	6
21030 811	1292 859	1290 426	45
21030 816	1287 730	1290 170	30
21030 819	1287 832	1290 429	19
21030 870	1287 840	1290 338	22
21030 878	1287 839	1290 365	29
21030 879	1292 770	1290 244	50
21030 883	1287 637	1290 248	56
21030 885	1288 255	1290 025	63
21030 887	1287 291	1290 249	40
21030 888	1287 678	1290 321	52
21030 889	1287 734	1290 417	32
21030 892	1287 701	1290 423	54
21030 894	1287 041	1290 045	65
21030 895	1287 943	1290 430	52
21030 904	1287 338	1290 193	74
21030 905	1287 665	1290 421	15

iQ Eminent Unisense	Solid Weld Rod	Multicolor Weld Rods	LRV*
21030 906	1287 411	-	65
21030 907	1287 934	-	22
21030 908	1287 290	-	50
21030 925	1287 935	-	30
21030 928	1287 695	-	55
21030 939	1287 700	-	37
21030 998	1287 698	-	63

Tarkett Solution SPECTrum™

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECTrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space, and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprint.


Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.




Contour LVT Artifice
10773 Pillar




Contour LVT
3712 Sterling



iQ Eminent
887 Clay



Modular Tile Saver 11442
Natural Blush 76206




iQ Eminent
895 Pale Brick




Millwork Diplomat
23 Vapor Grey



Millwork Silhouette
TA5 Colonial Grey



Millwork Inflection
TB3 Dover



iQ Eminent
998 Dusty Beige



Modular Tile Threadcraft 11569
Blanched 60805



Modular Tile Braided 55104
Rosy Buff 55103

Color may vary from actual swatch. To order a sample and to learn more, please visit tarkett.com.



iQ Granit 234 Warm Light Grey
 iQ Eminent 883 Sand
 iQ Eminent Unisense 928 Dusty Sand



Proof in Every StepSM

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers – numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

Sustainability Highlights

Feel confident in the numbers



A holistic approach you can count on...



...And certifications you can trust.



We're leaders in radical transparency.



Setting tomorrow's standards...



...For globally recognized excellence.

97%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

70%

of raw materials are abundant, rapidly renewable or recycled.

14

zero-waste to landfill manufacturing plants.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

2013

first commercial flooring CERTIFIED **asthma and allergy friendly***.

2022

Powerbond RS is the first soft surface product in the industry to be CERTIFIED **asthma and allergy friendly***.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

99%

of flooring solutions have low VOC emission levels – 10x lower than the most stringent world standards.

100%

orthophthalate-free vinyl production. First company to eliminate orthophthalates from all products.

2010

first flooring manufacturer to join the UN Global Compact.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

2021

scored B, the CDP management level, regarding the climate change performance assessment.

iQ GRANIT Specifications

Technical Data	Standards	iQ Granit & iQ Eminent
Classification	ASTM F-1913, ASTM F1700	Homogeneous Vinyl Sheet, Solid Vinyl Tile
Polyurethane Reinforced	ASTM F410	Yes
Total Thickness	ASTM F386	0.080" (2mm)
Static Load Resistance	ASTM F970	250 psi, ≤ 0.005 inches
Chemical Resistance	ASTM F925	Passes
Resistance to Heat	ASTM F1514	Δ E ≤ 8.0
Resistance to Light	ASTM F1515	Δ E ≤ 8.0
Residual Indentation	ASTM F1914	Passes
Slip Resistance	ASTM D2047	≥ 0.5 SCOF
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm ²)
Acoustics (Granit only)	ASTM E492	60 IIC (6" concrete slab with a drop ceiling assembly)
Acoustics (Granit only)	ASTM E2179	18 ΔIIC (ASTM E2179 is performed without a drop ceiling)
Acoustics (Granit only)	ASTM E90	61 STC (6" concrete slab with a drop ceiling assembly)
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	Granit: FSR 15 / SDC 125 Eminent: FSR 30 / SDC 155
Limited Warranty		20 years
Colors Available		iQ Granit: 43 iQ Eminent: 25
Roll	Length	iQ Granit: 82 ft (25m) per roll iQ Eminent: 75.5 ft (23m) per roll
	Width	6' 6" nominal (2 m)
	Weight / yd ² (m ²)	5.53 lbs/yd ² (3.1 kg/m ²)
Tile	Size	12" x 12" (30 cm x 30 cm) 12" x 24" (30 cm x 61 cm) 24" x 24" (61 cm x 61 cm)
	Pieces per Carton	60 28 14
	Area per Carton	60 ft ² (5.57 m ²) 56 ft ² (5.2 m ²) 56 ft ² (5.2 m ²)
	Weight per Carton	36.8 lbs. (16.7 kg) 34.7 lbs. (15.7 kg) 33 lbs (15 kg)

Please visit tarkett.com for the most updated specifications, and installation, cleaning and maintenance instructions. The weld rods listed are intended to correspond with the denoted flooring colors. Other weld rods can be used for a variety of visual effects.



*iQ Granit is
CERTIFIED **asthma & allergy friendly**®

On the cover:
iQ Eminent 892 Pale Green | 904 White
iQ Eminent Unisense 925 Dusty Green

Tarkett North America

30000 Aurora Road
Solon, Ohio 44139
800.899.8916

tarkett.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America 31599500007 02/2023