

# Never refinished. Always restored.

Tarkett's iQ<sup>®</sup> Optima<sup>®</sup> promises no need for floor finish. Ever.


A simple dry buffing restores iQ Optima homogeneous flooring to its original appearance, practically keeping it forever young. With the unwavering durability of Tarkett's iQ technology, environmental services teams are able to work more efficiently, with fewer chemicals and better indoor air quality.

The refreshed iQ Optima palette delivers a classic travertine pattern in soft, tonal colorways that support overall health and wellness. The entire collection is CERTIFIED **asthma & allergy friendly**® to create safe, inclusive spaces in every step.

From every angle, Tarkett's iQ Optima is a pretty smart choice.







# iQ for life-long performance

# Intelligent quality for the most demanding environments

Beyond their soothing aesthetics, iQ products are scientifically engineered to retain their beauty over time, support better indoor air quality, and simplify care and maintenance. Because iQ surfaces are paired with weld rods that allow thermo-fuse heat welded seams, they also provide superior infection control. With no floor finish required for life, iQ flooring is continually restored with a simple dry buffing—so your floor, your space, and your people can maintain top performance.

Surface restoration video Stain resistance





# iQ surfaces provide:



## Durability

Excellent durability against scratches, scuffs, stains, chemicals, gouges, and tears



#### Broad portfolio

A broad selection of colors and visuals to support the design of any space



#### Static load limit

Strength to withstand heavy equipment and rolling loads



# Indoor air quality

CERTIFIED **asthma & allergy friendly®** solutions that are easy to clean without harsh chemicals to further support better indoor air quality (IQ Optima, IQ Granit, IQ Eminent)




# Hygiene & infection control

Highly flexible material creates an integral cove base that prevents cracks where pathogens can hide



## Life cycle cost

Continuously restorable surfaces without application of floor finish to reduce maintenance costs and optimize return on investment



Flexible iQ Optima material minimizes cracking and micro-fissures




Higher filler content in competitive products leads to cracking

LEFT: iQ Optima 245 White Beige Grey, 873 Light Beige Grey, 987 Soft Green

# iQ Optima

31 neutrals | 24 colors

All colorways are available in iQ Optima Acoustic.





205 Soft Warm White W \* 460 Cotton W \*



862 White W \* 68 White Sand W \*



246 Light Sand Beige CB \* VL1 Harvest Time CB \*



807 Dark Sand CB \* VK8 Sandstorm CB \*



828 Clay CB \* 31 Zephyr CB \* 80 Fawn CB \*



860 Grey Sand WB \*

280 Shoreline

Foundations® and the wall base coordinates key on page 8.


\* See the Color



822 Sand WB \* 79 Bone White W \*

866 Dark Grey CG \*

TA6 Bedrock CG \*




946 Soft Light Grey W \* TB3 Dover CG \*



996 Blend Sand WB \*

09 Clay WB \*

760 Light Grey White CG \* 864 Light Grey CG \* 21 Platinum CG \*



989 Soft Sand WB \*

34 Almond W \*

23 Vapor Grey CG \*



872 White Grey CG \* 23 Vapor Grey CG \*



871 Cool White W \* 50 White W \*



853 Medium Grey CG \* TG3 Iron Mountain CG \*



762 Medium Cool Grey CG \* 201 Soft Dark Cool Grey CG \* 886 Grey White W \* TG3 Iron Mountain CG \*



TA6 Bedrock CG \*




TB3 Dover CG \*



245 White Beige Grey WG \* 947 Soft Grey CG \* 24 Grey Haze WG \*



282 Vaporize \*



282 Vaporize \*



20 Charcoal WG \*



799 Light Black B \* TA6 Bedrock CG \*



977 Soft Brown CB \* 32 Pebble WG \*



897 Grey Beige WG \* 32 Pebble WG \*



952 Soft Clay Grey WG \* 48 Grey WG \*



242 Neutral Grey WG \* 48 Grey WG \*



845 Black B \* 40 Black B \*



00 Coordinating Color

# Wall base coordinates

- \* We've identified Color Foundations® neutrals in the following way: WB (Warm Beige), CB (Cool Beige), WG (Warm Grey), CG (Cool Grey), B (Black), W (White).
- \* Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.



835 Light Yellow 68 White Sand W \*



834 Yellow VM8 Mr Sunshine \*



927 Brick Orange VM1 Hot Spice \*



877 Red TB6 Flame \*



926 Coral TG1 Snowbound W \*



830 Clay Beige 79 Bone White W \*



833 Clay Brick VL9 Red Clay \*



997 Blend Brick 68 White Sand W \*



841 Green Grey VM4 Green Smoke \*



995 Blend Green VM4 Green Smoke \*




990 Soft Brick TG1 Snowbound W \*



876 Dark Old Brick 50 White W \*



987 Soft Green VM4 Green Smoke \*



843 Light Green VN4 Green Vista \*



838 Olive Green VN4 Green Vista \*



839 Green VL8 Grinch \*



983 Soft Blue 262 Drizzle CG \*



993 Blend Blue 262 Drizzle CG \*



848 Light Aqua VM5 Dream Teal \*



837 Light Olive Green TH1 Glenhaven \*



851 Light Blue 50 White W \*




84 Blue Jeans \*



867 Blue 84 Blue Jeans \*



869 Dark Blue 18 Navy Blue \*



# Coordinated solutions

Tarkett's family of iQ solutions delivers safety and performance with a cohesive color palette. IQ Granit SD is permanently static-dissipative for use in laboratories, clean rooms, and ESD-sensitive areas in hospitals. Granit Safe.T provides a confident grip in wet and high-traffic areas.

Color Foundations®: It's easy to coordinate Johnsonite products with a wide range of flooring choices from the Tarkett portfolio. Color Foundations gives you six neutral palettes that pair popular Johnsonite colors with hundreds of flooring options for Soft Surface to Resilient. We've done the color-coordination for you. Just pick your palette and go!

Palette Key: WB (Warm Beige), CB (Cool Beige), WG (Warm Grey), CG (Cool Grey), B (Black), W (White).

# iQ Optima







Grey CG \*






















iQ Granit SD

845 Black B \*








948 Grey CG \*



CG \*


















Granit Safe.T

953 Black B \*



506 Black B \*


























10 11

# 8 9 10 6

# Tarkett Solution SPECtrum™

# Design more brilliantly.

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

The Brilliance<sup>SM</sup> Digital Color System puts the entire Tarkett Solution SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints.



Speak to your Tarkett sales representative to get started or scan the QR code to visit brilliance.tarkett.com.

- Johnsonite rubber tile
   Prima Marbleized TJ1 Nostalgic Pink
- 2. Carpet tile + Powerbond® hybrid carpet **Ebbing Waves 11734** Toasted Taupe 62902
- Luxury vinyl plank and tile
   iD Latitude™ Wood PLWD Autumn Walnut 7538
- Homogeneous sheet and tile iQ Eminent Unisense™ 998 Dusty Beige
- Linoleum
  LinoFloor xf<sup>2™</sup> 035 Candy
- Johnsonite wall base **Millwork Reveal**® MW-TJ1-F Nostalgic Pink
- Heterogeneous sheet **Performa** 55014 Satin Wood
- Homogeneous sheet and tile iQ Optima 807 Dark Sand
- Homogeneous sheet and tile iQ Optima 823 Warm Sand
- 0. Homogeneous sheet and tile iQ Optima 833 Clay Brick
- 11. Johnsonite wall base

  Millwork Ambassador MW-66-K Either Ore
- 12. Homogeneous sheet and tile iQ Optima 246 Light Sand Beige



Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, air, and climate—because when you're trailblazing a more sustainable future, **every step matters**.

# The **proof** is in the numbers.



Circular economy

94%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

69%

of raw materials are abundant, rapidly renewable or recycled

13 zero-waste-to-landfill manufacturing plants

1.5 million lbs of flooring recycled in 2023 in North America



Certifications you can trust

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

first commercial flooring CERTIFIED asthma & allergy friendly®

Powerbond® RS is the first soft surface product in the industry to be CERTIFIED asthma & allergy friendly®.



Transparency you can trust

100<sub>ppm</sub>

raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Healthy impacts

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

ortho-phthalate-free vinyl production; first company to eliminate ortho-phthalates from all products



Global excellence

2010

first flooring manufacturer to join the UN Global Compact

2016

Began reporting to the Carbon Disclosure Project (CDP). In 2023, Tarkett scored A-, the CDP management level.

2020

first assessment by EcoVadis. In 2023, Tarkett's score of 74/100 earned us a Gold medal and placed us in the top 2% of rated companies.

SBTi deemed our target ambition in line with a 1.5°C trajectory, currently the most ambitious designation available through the SBTi process.

# Digital services

Our additional design services allow for even more creativity. Want to add a school logo to your floor? No problem. A custom corporate message? Sure. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions you can be proud of. Scan the QR code to start your design services project.



# IMAGINATIONS® custom floor design

If you can imagine it, then we can translate it onto your floor. Our IMAGINATIONS
Personalized Floor Design program is used for more intricate and detailed designs.
Designs are fabricated at our manufacturing facilities, shipped to the job site and inset by the flooring contractor.

Logos, corporate messaging, school mascots, government seals, unique images, or any idea you imagine can become art on a horizontal plane. With our unique line of product platforms, you can use shape, color, and texture to design a floor that will help create an experience and communicate a brand message. Custom cutting can also be used in practical ways, such as showing direction or dividing a space without using physical barriers.



Source: Tarkett 2023 Corporate Social and Environmental Responsibility Report

14

# Weld rods

Color name	Solid weld rod	Multi-color weld rod	LRV **	Color name	Solid weld rod	Multi-color weld rod	LRV **
205 Soft Warm White W *	1287838	1290359	72	242 Neutral Grey WG *	1287006	1290340	30
201 Soft Dark Cool Grey CG *	1287836	1290355	15	245 White Beige Grey WG *	1287279	1290085	56
946 Soft Light Grey W *	1287411	1290369	65	246 Light Sand Beige CB *	1292319	1290290	56
947 Soft Grey CG *	1287524	1290122	38	853 Medium Grey CG *	1292388	1290022	39
952 Soft Clay Grey WG *	1287545	1290448	29	860 Grey Sand WB *	1287039	1290066	52
977 Soft Brown CB *	1287870	1290451	18	862 White W *	1291862	1290025	74
983 Soft Blue	1287678	1290444	52	864 Light Grey CG *	1287412	1290029	50
987 Soft Green	1291954	1290202	53	871 Cool White W *	1287522	1290120	63
989 Soft Sand WB *	1287685	1290443	52	873 Light Beige Grey CG *	1287524	1290122	38
990 Soft Brick	1287943	1290445	49	874 Beige Grey WG *	1287840	1290338	22
993 Blend Blue	1287523	1290120	55	886 Grey White W *	1291609	1290049	59
995 Blend Green	1287279	1290446	55	897 Grey Beige WG *	1287170	1290203	31
996 Blend Sand WB *	1287415	1290422	56	799 Light Black B *	1287548	1290192	11
997 Blend Brick	1291981	1290440	58	830 Clay Beige	1292442	1290268	59
872 White Grey CG *	1287523	1290121	50	833 Clay Brick	1287216	1290441	34
866 Dark Grey W *	1287842	1290026	15	834 Yellow	1287359	1290428	55
845 Black B *	1291845	1290034	6	835 Light Yellow	1287582	1290206	65
807 Dark Sand CB *	1287341	1290180	33	837 Light Olive Green	1287442	1290447	52
822 Sand WB *	1287797	1290329	61	838 Olive Green	1287745	1290450	27
841 Green Grey	1287323	1290449	54	839 Green	1287951	1290437	28
823 Warm Sand WB *	1287391	1290143	41	855 Medium Blue	1287804	1290336	28
848 Light Aqua	1287509	1290398	44	867 Blue	1287335	1290165	15
851 Light Blue	1287803	1290425	44	869 Dark Blue	1287953	1290439	11
760 Light Grey White CG *	1287411	1290369	65	876 Dark Old Brick	1287952	1290438	18
762 Medium Cool Grey CG *	1287692	1290170	29	877 Red	1287463	1290241	15
327 Beige CB *	1287698	1290452	63	926 Coral	1287954	1290453	62
828 Clay CB *	1287233	1290343	40	927 Brick Orange	1287894	1290384	35
343 Light Green	1287860	1290442	52				

<sup>\*</sup> See the Color Foundations® key on page 8. \*\* Light Reflectance Value (%)

# Specifications

**HOMOGENEOUS VINYL SHEET + TILE** 

iQ Optima Style name Warranty 20 years 55 Colors available Thickness 2 mm

Formats Roll / tile size 82' 7" length x 6' 6" nominal width

Weight 5.3 lb. per sq. yd.

Quantity per carton n/a Tile area per carton n/a

Tile 12" x 12" 12" x 24"

36 lb. per carton 60 pieces 60 sq. ft.

Tile

Tile 24" x 24" 33 lb. per carton

14 pieces 28 pieces 56 sq. ft. 56 sq. ft.

34.7 lb. per carton

# Testing

Standards **Technical Data** ASTM F1913, ASTM F1700 Classification Polyurethane Reinforced ASTM F410 Total Thickness ASTM F386 Static Load Resistance ASTM F970 Chemical Resistance ASTM E925 ASTM F1514 Resistance to Heat ASTM F1515 Resistance to Light Residual Indentation ASTM F1914 Slip Resistance ASTM D2047 CAN/ULC S102.2 Flame Spread / Smoke (Canada)

Homogeneous vinyl sheet, Solid vinyl tile 0.080" (2 mm)

250 psi, ≤ 0.005" | Modified 2000 psi: ≤ 0.005" \*

Passes Δ ∑≤ 8.0 Δ ∑≤ 8.0 Passes SCOF ≥ 0.5 FSR 55 / SDC 165

Class 1 (≥ 0.45 W/cm<sup>2</sup>)

iQ Optima

fall outside of the scope of the ASTM F970 test method. Modified static load testing does not provide information related to the long-term exposure and the residual indentation of an installed floorcovering system which includes the subfloor, adhesive, underlayment, and cementitious patching/leveling compounds. Residual indentation(s) may remain visible in any resilient flooring installation, however, overhead lighting, natural lighting and the application of a gloss floor finish may increase the appearance.

\* Static loads greater than 250 psi

# Sustainability attributes

#### HOMOGENEOUS VINYL SHEET + TILE

#### Carbon neutrality:

Flame Resistance

Carbon neutral available upon request

#### Healthy materials:

94% raw materials third-party assessed; ortho-pththalate-free

#### Indoor air quality:

FloorScore® certified; meets CDPH 01350 v1.2;

CERTIFIED **asthma and allergy friendly**® (iQ Optima, iQ Granit, iQ Eminent)

#### Transparency documentation:

Product-specific EPD; Material Health Statement

#### Responsible end of use management:

Part of Tarkett's ReStart® take-back and recycling program









ASTM E648

of the ASTHMA AND ALLERGY

# Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit tarkett.ecomedes.com to learn more.









To learn more about the **ReStart** program, scan the QR code or go to commercial.tarkett.com/Restart

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All thirdparty trademarks are the property of their respective owners.

©Tarkett North America 31599500016 06/2024

