

Acczent™

Woods & Stones

HETEROGENEOUS VINYL SHEET

 **Tarkett®**



Steadfast resilience for demanding environments

There's no need to choose between beauty and resilience—Tarkett's Acczent collections deliver the best of both. Created with superior strength for today's most demanding spaces, this classic palette supports interior designs that are both inviting and enduring. Now with a 32-mil wear layer and state-of-the-art Techtonic® XD protection, each surface provides unmatched durability against stains, scratches, gouges, and scuffs to remain effortlessly stunning over time. The entire collection is Certified **Asthma & Allergy Friendly**® to support better indoor air quality.

ON COVER:
Acczent Woods 009 Dark Grey FRENCH OAK
Acczent Stones 026 Beige TERRAZZO CONCRETE

LEFT:
Acczent Woods 031 Natural CHATILLON OAK, 036 Natural VARIANT OAK, 037 Nut VARIANT OAK, 040 Beige OAK TREE

We've taken an extra step to protect your floors against stains.

Specifically formulated for Tarkett's vinyl sheet collections, Techtonic XD features excimer defense technology to provide superior stain resistance, scratch protection, and eliminate the need for refinishing. By adding an excimer curing to our manufacturing process, we've made sure this ruggedly strong coating extends the life of your floor and maximizes your return on investment.

Immaculate stain defense

Based on third-party testing to ASTM F925, Techtonic XD provides superior stain resistance to all the most challenging chemical and medical staining agents and performs better than a leading competitor against 65% of them.

Better scratch and scuff protection

When it comes to scratches, scuffs, gouges, and tears, Techtonic XD performs at the top of its class, so floors look better and last longer.

Easy to clean

Techtonic XD provides a durable matte finish that remains easy to clean.

No floor finish required

Floors never require a traditional floor finish, saving time and money.



Woods

30 colors



Accent Woods 006 Medium BRUSHED OAK, 029 Beige CHATILLON OAK, 042 Grey OAK TREE

* See the Color Foundations® and the wall base coordinates key on page 6



010 White W
FRENCH OAK
27 Mist WG *



012 Medium Grey CB
FRENCH OAK
VK8 Sandstorm CB *



009 Dark Grey WG
FRENCH OAK
TG5 Macadamia WG *



042 Grey WG
OAK TREE
VL2 Whispering Mist CB *



006 Medium WG
BRUSHED OAK
29 Moon Rock WG *



033 Beige CB
VARIANT OAK
22 Pearl CB *



029 Beige WB
CHATILLON OAK
49 Beige WB *



038 Beige WB
SCANDINAVIAN OAK
09 Clay WB *



013 Maple WB
MODERN MAPLE
79 Bone White W *



005 Light CB
BRUSHED OAK
TG5 Macadamia WG *



036 Natural WB
VARIANT OAK
461 Wicker WB *



031 Natural WB
CHATILLON OAK
461 Wicker WB *



040 Beige WB
OAK TREE
11 Canvas WB *



002 Light WB
BEECH
129 Silk WB *



001 Cherry WB
BEECH
TA7 Rusty Nail *



035 Golden WB
VARIANT OAK
129 Silk WB *




030 Golden WB
CHATILLON OAK
45 Sandalwood WB *



041 Golden WB
OAK TREE
461 Wicker WB *



003 Dark WB
BEECH
130 Sisal *



004 Brazilian Cherry
BEECH
132 Espresso *



037 Nut WB
VARIANT OAK
TA1 Tannery WB *



017 Red Brown
VARIANT OAK
TA7 Rusty Nail *



027 Classical Beige WB
OAK LONGSTRIPE
TA1 Tannery WB *



007 Red WB
CABREUVA
TA7 Rusty Nail *



014 Natural WB
WALNUT
TA2 Saddlebrook WB *



034 Brown Grey
VARIANT OAK
TB1 Peppercorn *



016 Warm Brown
VARIANT OAK
TA2 Saddlebrook WB *



011 Natural WB
FRENCH OAK
TA7 Rusty Nail *



008 Brown WB
CABREUVA
TA7 Rusty Nail *



015 Dark
WALNUT
47 Brown *



**019 Chalk WG
CONCRETE**
27 Mist WG *



**022 Grey Beige CB
CONCRETE**
VL1 Harvest Time CB *



**023 Warm Grey CB
CONCRETE**
264 Grounded *



**026 Beige CB
TERRAZZO CONCRETE**
TG5 Macadamia WG *




**020 Cool Grey CG
CONCRETE**
TA5 Colonial Grey CG *



**025 Grey WG
TERRAZZO CONCRETE**
VK7 Mt Rainier WG *



**021 Dark Grey WG
CONCRETE**
20 Charcoal WG *



**024 Black B
TERRAZZO CONCRETE**
63 Burnt Umber B *



000 Color Name VISUAL
00 Coordinating Color

Wall base coordinates

* We've identified Color Foundations® neutrals in the following way:

WB (Warm Beige), **CB** (Cool Beige),
WG (Warm Grey), **CG** (Cool Grey),
B (Black), **W** (White).

Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

Stones

8 colors



Accent Stones 020 Cool Grey CONCRETE, 022 Grey Beige CONCRETE, 025 Grey TERRAZZO CONCRETE



Acczent + iD Latitude™

Acczent Woods & Stones are designed to coordinate beautifully with iD Latitude luxury vinyl tiles and planks, helping you create visually cohesive spaces that meet specific performance needs.

* See the Color Foundations® and the wall base coordinates key on page 6

◊ Ready-to-Ship—our best selling colors available in 1 week in 6' 6" rolls for up to 1,000 yards

	001 Cherry WB BEECH * ◊	003 Dark WB BEECH *	005 Light CB BRUSHED OAK *	006 Medium WG BRUSHED OAK *	007 Red WB CABREUVA * ◊	008 Brown WB CABREUVA * ◊	009 Dark Grey WG FRENCH OAK * ◊
ACCZENT WOODS							
ID LATITUDE PLWD							
	American Cherry 3305	American Cherry 3305	Butternut 7536	Hazelwood 7542 Acadia Pine 5136 Taos Oak 3605	American Cherry 3305	European Cherry 3307	Blanched Pine 5134 Vintage Oak 3530

010 White W FRENCH OAK * ◊	011 Natural WB FRENCH OAK * ◊	012 Medium Grey CB FRENCH OAK *	013 Maple WB MODERN MAPLE *	014 Natural WB WALNUT * ◊	015 Dark WALNUT ◊	016 Warm Brown VARIANT OAK
						
						
Lacewood 7532	Ash 3308	Chamois Oak 3606 Acadia Pine 5136	Pearl Maple 7526	European Cherry 3307 Natural Teak 7524 Hickory 3405	Black Walnut 3401 Hazelwood 7542	European Cherry 3307

017 Red Brown VARIANT OAK	027 Classical Beige WB OAK *	029 Beige WB CHATILLON OAK *	030 Golden WB CHATILLON OAK *	031 Natural WB CHATILLON OAK *	033 Beige CB VARIANT OAK *	034 Brown Grey VARIANT OAK
						
						
Natural Teak 7524	Ash 3308	Chamois Oak 3606	Laurel Oak 3523	Ash 3308	Golden Oak 7539 English Walnut 7537 Parable 7541	Mountain Maple 7534

035 Golden WB VARIANT OAK *	036 Natural WB VARIANT OAK *	037 Nut WB VARIANT OAK *	038 Beige WB SCANDINAVIAN OAK *	040 Beige WB OAK TREE *	042 Grey WG OAK TREE *
					
					
Golden Oak 7539	Laurel Oak 3523 Golden Oak 7539	Golden Oak 7539	Nordic 7533	Nordic 7533	Blanched Pine 5134 Vintage Oak 3530

Weld rod and pattern details

Color #	Color	Color Foundation*	Pattern	Solid weld rod	LRV**	Plank size*** (Inches)	Design repeat**** (Inches)
001	Cherry	WB	Beech	1287050	15.5	3.03 x 39.37	39.37 x 39.37
002	Light	WB	Beech	1294315	30.8	3.03 x 39.37	39.37 x 39.37
003	Dark	WB	Beech	1292207	22.3	3.03 x 39.37	39.37 x 39.37
004	Brazilian Cherry		Beech	1287360	10	3.03 x 39.37	39.37 x 39.37
005	Light	CB	Brushed Oak	1287732	22.6	6.56 x 39.37	39.37 x 39.37
006	Medium	WG	Brushed Oak	1287433	12.1	6.56 x 39.37	39.37 x 39.37
007	Red	WB	Cabreuva	1287050	16.3	5.63 x 39.37	39.37 x 39.37
008	Brown	WB	Cabreuva	1287032	12.5	5.63 x 39.37	39.37 x 39.37
009	Dark Grey	WG	French Oak	1287537	22.8	3.94 x 39.37	39.37 x 39.37
010	White	W	French Oak	1287178	40.4	3.94 x 39.37	39.37 x 39.37
011	Natural	WB	French Oak	1287477	19.4	3.94 x 39.37	39.37 x 39.37
012	Medium Grey	CB	French Oak	1287373	29.5	3.94 x 39.37	39.37 x 39.37
013	Maple	WB	Modern Maple	1294852	36.3	3.94 x 39.37	39.37 x 39.37
014	Natural	WB	Walnut	1287287	11.3	4.92 x 39.37	39.37 x 39.37
015	Dark		Walnut	1287663	9.4	4.92 x 39.37	39.37 x 39.37
016	Warm Brown		Variant Oak	1287780	14.9	6.56 x 59.06	59.06 x 78.74
017	Red Brown		Variant Oak	1287503	16.1	6.56 x 59.06	59.06 x 78.74
019	Chalk	WG	Concrete	1287290	45.3	N/A	39.37 x 39.37
020	Cool Grey	CG	Concrete	1287789	32	N/A	39.37 x 39.37

Color #	Color	Color Foundation*	Pattern	Solid weld rod	LRV**	Plank size*** (Inches)	Design repeat**** (Inches)
021	Dark Grey	WG	Concrete	1287585	11.6	N/A	39.37 x 39.37
022	Grey Beige	CB	Concrete	1287713	32.4	N/A	39.37 x 39.37
023	Warm Grey	CB	Concrete	1287870	18	N/A	39.37 x 39.37
024	Black	B	Terrazzo Concrete	1287392	13.4	N/A	39.37 x 78.74
025	Grey	WG	Terrazzo Concrete	1291215	39.5	N/A	39.37 x 78.74
026	Beige	CB	Terrazzo Concrete	1287290	46.6	N/A	39.37 x 78.74
027	Classical Beige	WB	Oak Longstripe	1294428	23.9	3.03 x 39.37	39.37 x 39.37
029	Beige	WB	Chatillon Oak	1287005	30.2	7.87 x 59.06	59.06 x 78.74
030	Golden	WB	Chatillon Oak	1294428	23.6	7.87 x 59.06	59.06 x 78.74
031	Natural	WB	Chatillon Oak	1287153	27.3	7.87 x 59.06	59.06 x 78.74
033	Beige	CB	Variant Oak	1287437	33.1	6.56 x 59.06	59.06 x 78.74
034	Brown Grey		Variant Oak	1287546	13.5	6.56 x 59.06	59.06 x 78.74
035	Golden	WB	Variant Oak	1292373	24.4	6.56 x 59.06	59.06 x 78.74
036	Natural	WB	Variant Oak	1292373	27.8	6.56 x 59.06	59.06 x 78.74
037	Nut	WB	Variant Oak	1294428	20.4	6.56 x 59.06	59.06 x 78.74
038	Beige	WB	Scandinavian Oak	1287432	37.4	7.87 x 59.06	59.06 x 78.74
040	Beige	WB	Oak Tree	1287432	40.7	N/A	59.06 x 78.74
041	Golden	WB	Oak Tree	1287690	30.9	N/A	59.06 x 78.74
042	Grey	WG	Oak Tree	1287497	24	N/A	59.06 x 78.74

* See the Color Foundations® key on page 6
** Light Reflectance Value (%)
*** Plank size (inches) identifies the size of individual plank images within the vinyl sheet pattern
**** Design repeat (inches) identifies the size of the design repeat within the vinyl sheet pattern



Color may vary from actual swatch.
To order a sample and to learn
more, please visit tarkett.com.

Tarkett Solution SPECtrum™

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet, and performance.

1. Heterogeneous vinyl sheet
Acczent Chambray 500 Linen
2. Powerbond hybrid carpet
Angled in Enrichment™ Connected Core™ 11863 Belong 56704
3. Homogeneous vinyl sheet & tile
iQ® Granit™ 412 Olive
4. Linoleum
LinoFloor^{xt2}™ Emme 796 Pine
5. Johnsonite wall base
Millwork Wall Base® Ambassador MW-66-K 66 Either Ore
6. Heterogeneous vinyl sheet
Performa™ 55023 Beechwood
7. Heterogeneous vinyl sheet
Acczent Woods 037 Nut VARIANT OAK
8. Luxury vinyl tile
iD Latitude Wood PLWD Laurel Oak 3523
9. Heterogeneous vinyl sheet
Acczent Chambray 521 Vine
10. Heterogeneous vinyl sheet
Acczent Chambray 501 Cambrai
11. Carpet tile & Powerbond hybrid carpet
Layered Duality™ Grounded Harmony™ A0043 Celebration 24721
12. Johnsonite rubber sports flooring
Inertia® Minerality™ XB9 George
13. Heterogeneous vinyl sheet
Acczent Stones 019 Chalk CONCRETE
14. Vinyl composition tile
Tarkett VCT II 526 Green Grape
15. Linoleum
LinoFloor^{xt2}™ Emme 730 Tobacco
16. Non-PVC plank & tile
Collective Pursuit™ North Island Oak SNI Napier 4671




Every step matters™

Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, and air—because when you're trailblazing a more sustainable future, **every step matters.**

These three values help us stay the course



Transparency you can trust

We subject our products to relentless scientific scrutiny and third-party testing, then provide customers with radical transparency about our materials, operations, and corporate business practices.



Circular economy

We're committed to creating a circular economy where nothing goes to waste by designing products with their end of life in mind. This means always interrogating the health, safety, environmental, and social impacts of our materials.



Healthy impacts

We've made material choices across our entire portfolio that support better indoor air quality and better outcomes for every living thing. Responsible flooring design not only improves aesthetics; it directly impacts the health of the people who occupy interior spaces.

The **proof** is in the numbers.



Holistic
approach

94%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

69%

of raw materials are abundant, rapidly renewable or recycled.

13

zero-waste-to-landfill manufacturing plants



Certifications
you can trust

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

2013

first commercial flooring Certified **Asthma & Allergy Friendly®**

2022

Powerbond® RS is the first soft surface product in the industry to be Certified **Asthma & Allergy Friendly®**.

21 million
lb.

of flooring recycled in 2024 in North America



Transparency
you can trust

100 ppm

raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Setting
the standard

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production; first company to eliminate ortho-phthalates from all products



Global
excellence

2010

first flooring manufacturer to join the UN Global Compact

2016

Began reporting to the Carbon Disclosure Project (CDP). In 2025, Tarkett scored A, the CDP management level.

2020

first assessment by EcoVadis. In 2024, Tarkett's score of 81/100 earned us a Platinum medal and placed us in the top 1% of rated companies.

2023

Climate target approved by SBTi (Science Based Targets initiative). Targeting 30% GHG emissions reduction and increase of 30% recycled content across all products by 2030.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped, and sealed into everything we do. But more importantly, we don't just say this, **we prove it.**

Tailored by Tarkett™

To help you explore and specify flooring, Tarkett offers design tools and services that make it easier than ever to find inspiration, research product ideas, and try out personalized flooring concepts to help you create profoundly unique spaces. You can even co-create with one of our expert designers to help you fulfill your vision.



Learn more and find your inspiration here.




Design tools

Choose from an array of sophisticated design tools to help you tailor and preview each flooring layout. The **Tailored by Tarkett Visualizer Suite** is a user-friendly online platform to help you explore layouts and colorways. With the Visualizer suite, you can:

- Create **project boards** to effortlessly save swatches, collect room scenes, upload photos, and keep all your visuals organized in one convenient place;
- Complete your ideas with our **Masquerade® Wall Base Visualizer**, which enables you to preview an unlimited selection of high-definition digitally printed wall finishing borders that meet your exact needs.

Of course, your ideas aren't limited to just one type of flooring. That's why our online tools include visualizers for carpet tile, tufted broadloom, Powerbond® hybrid carpet, luxury vinyl tile, non-PVC plank and tile, and rubber tile.




Design services

Great flooring supports people, inspires creativity, and connects us to our environment. So does great service. That's why we offer a suite of end-to-end design services to help you. Want to add a logo to your floor or a custom corporate message? No problem. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions.

- Let our **Designer on Demand** team create renderings for you. Simply submit your project online and our designers will create beautiful renderings you can proudly share with your clients.
- Our **Imaginations® Personalized Floor Design** program can help you implement more intricate and detailed designs—such as logos and messaging—adding shape, color, and texture into your floor design with tailored cutting and fabrication.




Key attributes summary




Durable performance

Techtonic XD and 32-mil wear layer provide superior resistance to stains, scuffs, scratches, gouges, and tears




Broad portfolio

Expanded palette of classic wood and stone visuals that add an inviting warmth to commercial interiors




Improved hygiene

Thermo-fused welding creates a monolithic surface




Static load limit

Static load limit of 2000 PSI (Modified ASTM Testing**)




Ease of maintenance

No floor finish required*, reducing maintenance costs and optimizing return on investment




Warranty protection

Backed by a top-of-class 15-year warranty



Immediate occupancy

Tarkett RollSmart™ adhesive is approved for use under hospital beds, shortens installation times, and allows immediate welding and traffic




Indoor air quality

Certified **Asthma & Allergy Friendly®**

* With the proper combination of cleaning products, pads, accessories, equipment, and frequency (based on the type of soil and volume), the floor can be easily maintained without the use of floor finish.

Heterogeneous sheet construction



Techtonic XD

excimer-cured coating delivers superior protection against stains, scratches, and scuffs

32-mil wear layer

resists indentations, gouges, and tears in high-traffic areas

High-definition printed design

delivers a variety of patterns and colors

Inner fiberglass layer

provides dimensional stability

Solid calendered sheet with Vapor Barrier System

helps prevent subfloor stains

Specifications

HETEROGENEOUS VINYL SHEET

Style name	Accent Woods & Stones
Warranty	15 years
Colors available	38
Patterns	30 woods, 8 stones
Thickness	0.08" or 2 mm
Wear layer thickness	0.032" (0.8 mm)***
Formats	Roll
Roll size	Approx 76' (23 m) L x 6'6" (2 m) W
Roll weight	5.7 lb./ sq. yd. (3.1 kg/m²)
Installation type	Glue down

*** Wear layer thickness tested to ISO SPEC 24340

Testing

Technical Data	Standards	Accent	
Classification	ASTM F1913, ASTM F1700	Heterogeneous vinyl sheet	
Polyurethane Reinforced		Techtonic XD	
Static Load Resistance	ASTM F970	250 psi, ≤ 0.005" Modified 2000 psi: ≤ 0.005" **	** Static loads greater than 250 psi fall outside of the scope of the ASTM F970 test method. Modified static load testing does not provide information related to the long-term exposure and the residual indentation of an installed floorcovering system which includes the subfloor, adhesive, underlayment, and cementitious patching/leveling compounds. Residual indentation(s) may remain visible in any resilient flooring installation, however, overhead lighting, natural lighting and the application of a gloss floor finish may increase the appearance.
Residual Indentation	ASTM F1914	Passes	
Slip Resistance	ASTM D2047	≥ 0.5 SCOF	
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm²)	
Smoke Density	ASTM E662	Pass (<450)	
Canadian Fire Testing	CAN/ULC S102.2	FSR 145 / SDC 235	
Chemical Resistance	ASTM F925	Passes	
Resistance to Light	ASTM F 1515	ΔΣ < 8	
Resistance to Heat	ASTM F 1514	ΔΣ < 8	
Flexibility	ASTM F137	Passes	

Sustainability attributes

HETEROGENEOUS VINYL SHEET

Carbon neutrality:
Carbon neutral available upon request


Healthy materials:
94% raw materials third-party assessed; ortho-phthalate-free

Indoor air quality:
FloorScore® certified; meets CDPH 01350 v1.2; Certified **Asthma & Allergy Friendly®**


Transparency documentation:
Product-specific EPD; Material Health Statement

Responsible end of use management:
Part of Tarkett's ReStart® take-back and recycling program





ReStart is Tarkett's third-party certified reclamation program.



To learn more about the **ReStart** program, scan the QR code or go to commercial.tarkett.com/Restart

Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren't add-ons—they're part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit tarkett.ecomedes.com to learn more.



For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.