



EDGE TAPE™: 90-DAY CLEAN REMOVAL, NO RESIDUE* TAPE

PRODUCT FEATURES

- Clean removal for up to 90 days*
- Tears straight and easy - no cutting required
- Multi-purpose
- Easily repositionable
- High tensile strength for the toughest jobsite needs



NO RESIDUE



TRU-TEAR
TECHNOLOGY



HIGH TENSILE
STRENGTH

SIZE: 1.89in x 164ft
PART #: RB90DET2164
QTY: 24 Rolls / Case

Anchor down Ram Board and other material for up to 90 days* without a trace of residue. This high-tensile tape lays flat on the first application and can be repositioned without any adhesive fallback. 90-Day Edge Tape conforms to Ram Board and different surfaces with a strong hold. Tru-Tear technology tears straight and easy without any tools needed.



*Refer to product spec sheet for additional information.

CUSTOMER CARE
P 844-397-4266
E customer care@iconprotection.com

RAMBOARD.COM



EDGE TAPE™: 14-DAY

EASY REMOVAL EDGE TAPE

PRODUCT FEATURES

- Clean removal for up to 14 days*
- Bonds tightly to Ram Board® and anchors the product to the ground
- Safety orange identifies edges of flooring



NO RESIDUE



EASY RELEASE



HIGH TENSILE STRENGTH

SIZE: 2.5in x 180ft
PART #: RBET25180
QTY: 16 Rolls / Case

Edge Tape is engineered to secure the edges of Ram Board directly to the floor without damaging your flooring surfaces, walls and stairs with a low tack for easy release for up to 14 days*.



*Refer to product spec sheet for warning and recommended product applications.

CUSTOMER CARE
P 844-397-4266
E customercare@iconprotection.com

RAMBOARD.COM

BLUE TAPE ALL PURPOSE



Surface Shields® Blue Tape is highly resistant to solvents and can be applied to multiple surfaces. It has been developed with an extra heavy paper making it the strongest Blue Tape in its class.

With a medium tack rubber adhesive, Painter's Grade Blue Tape will not leave a sticky residue and is suitable for clean removal for up to 14 days when exposed to direct or indirect sunlight after application. It has been developed with an extra heavy paper making it the strongest Blue Tape in its class and is 5 mil thick.



**TOUGHER
THAN THE
JOBSITE.®**



PRODUCT FEATURES

- Proprietary release agent insures quick and easy application
- Extra heavy paper resists accidental tearing
- 14 day UV protection
- Medium tack / residue free
- Natural rubber adhesive resists moisture and provides stronger adhesion levels when compared to synthetic
- Deep heavy resin saturation resists temperature and wear



- Blue Tape - 1in x 60yds
BT1180C
- Blue Tape - 1.5in x 60yds
BT15180C
- Blue Tape - 2in x 60yds
BT2180C
- Blue Tape Utility Grade - 2in x 60yds
BTE2180C
- Blue Tape - 3in x 60yds
BT3180C

CUSTOMER SERVICE
8450 185TH ST.
TINLEY PARK, IL 60487

P 844 4NO MESS
E customerservice@surfaceshields.com

f | t | y | in
surfaceshields.com

SSIBlueTapeUS0922