


Finishing accessories

There are times that you need to transition from one material height to another and keep the transition surface at a minimum. Johnsonite's finishing accessories create a sleek, modern look that is equally safe and durable.

JOHNSONITE FINISHING ACCESSORIES



Slim Line Transitions

Sustainability attributes**FINISHING ACCESSORIES****Healthy materials:**

94% raw materials third-party assessed;
ortho-phthalate-free

Indoor air quality:

FloorScore® certified; CDPH 01350 v1.2

Transparency documents available:

Product-specific EPD

Responsible end of use management:


Part of Tarkett's ReStart take-back and
recycling program



ReStart is Tarkett's
third-party certified
reclamation program.



To learn more about the ReStart program,
scan the QR code or go to
commercial.tarkett.com/ReStart



T-Moulding

FLOOR FINISHING

FINISHING ACCESSORIES

Lock it

Johnsonite's broad selection of transition accessories helps you glide through a space without interference. Find each of your surface thicknesses in the rows and columns below, then trace down and across to see where they meet in the middle. There, you'll find the solutions that will help you transition from one surface to another. Smooth. Safe. Seamless

Transition selector chart by dimension

For profile drawing and details, see specific accessory categories on pages 453-457.


Gauge	Subfloor	1/16"	.080"	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"
Subfloor		SSR-XX-B	RRS-XX-B SSR-XX-B SLT-XX-J SLTC-XX-J	SSR-XX-B RRS-XX-C RRS-XX-D SLT-XX-J SLTC-XX-J	EG-XX-J EG-XX-K	CRS-XX-A EG-XX-H CTA-XX-J CTA-XX-JL SLT-XX-L SLTC-XX-L	EG-XX-G EG-XX-L	CRS-XX-B EG-XX-W CTA-XX-P CTA-XX-PL	CRS-XX-D CTA-XX-Q
1/16"	SSR-XX-B						CTA-XX-D		
.080"	RRS-XX-B SSR-XX-B SLT-XX-J SLTC-XX-J		CTA-XX-Y	SLT-XX-B SLTC-XX-B CTA-XX-X SSR-XX-D		SLT-XX-C SLTC-XX-C CTA-XX-HT SLT-XX-H SLTC-XX-H	CTA-XX-D	CTA-XX-Z	
1/8"	SSR-XX-B RRS-XX-C RRS-XX-D SLT-XX-J SLTC-XX-J		SLT-XX-B SLTC-XX-B CTA-XX-X SSR-XX-D	CTA-XX-N FS-XX-DW3		SLT-XX-A SLTC-XX-A CTA-XX-H CTA-XX-HL CTA-XX-A CTA-XX-C CE-XX-A	CTA-XX-D CE-XX-A	CTA-XX-K	CD-XX-B
3/16"	EG-XX-J EG-XX-K								
1/4"	CRS-XX-A EG-XX-H CTA-XX-J CTA-XX-JL SLT-XX-L SLTC-XX-L		SLT-XX-C SLTC-XX-C CTA-XX-HT SLT-XX-H SLTC-XX-H	SLT-XX-A SLTC-XX-A CTA-XX-H CTA-XX-HL CTA-XX-A CTA-XX-C CE-XX-A		CTA-XX-M CD-XX CD-XX-C CD-XX-W	CD-XX CD-XX-C CD-XX-W	CTA-XX-L SLT-XX-F SLTC-XX-F	CE-XX-C SLT-XX-G SLTC-XX-G
5/16"	EG-XX-G EG-XX-L	CTA-XX-D	CTA-XX-D	CTA-XX-D CE-XX-A		CD-XX CD-XX-C CD-XX-W	CD-XX CD-XX-C CD-XX-W	CCA-XX	CWA-XX
3/8"	CRS-XX-B EG-XX-W CTA-XX-P CTA-XX-PL		CTA-XX-Z	CTA-XX-K		CTA-XX-L SLT-XX-F SLTC-XX-F	CCA-XX		CE-XX-C
1/2"	CRS-XX-D CTA-XX-Q			CD-XX-B		CE-XX-C SLT-XX-G SLTC-XX-G	CWA-XX	CE-XX-C	CD-XX-A

DIMENSIONS BY COLOR

- Identify thickness of materials to be transitioned.
- Find the corresponding color to match the thicknesses.
- Find your colors together on the chart.

0 = 0"	1/16" = 1/16"
.080" = .080"	1/8" = 1/8"
3/16" = 3/16"	1/4" = 1/4"
5/16" = 5/16"	3/8" = 3/8"
1/2" = 1/2"	







EXAMPLE: 1/4" 1/4 material to 1/8" 1/8 material.






FLOOR FINISHING

FINISHING ACCESSORIES









T-MOULDINGS

CE-XX-A 1/4" and 5/16" to 1/8" material. 1/4" leg.		1/4 5/16 1/8
CE-XX-C 1/2" to 1/4" and 3/8" material. 1/2" leg.		1/2 1/4 3/8
CD-XX 1/4" and 5/16" to material of same height. 1/4" leg.		1/4 5/16 1/4 5/16
CD-XX-A 1/2" to material of same height. 1/2" leg.		1/2 1/2
CD-XX-B+ 1/2" to 1/8" material. 1/2" leg.		1/2 1/8
CD-XX-C 1/4" and 5/16" to material of same height. 1/4" leg.		1/4 5/16 1/4 5/16
CD-XX-W 1/4" and 5/16" to material of same height. 1/4" leg.		1/4 5/16 1/4 5/16






ADAPTORS

CTA-XX-A 1/4" to 1/8" material.		1/4 1/8
CTA-XX-C 1/4" to 1/8" material.		1/4 1/8
CTA-XX-D 5/16" to 1/16" or 1/8" material.		5/16 1/16 1/8 1/8
CCA-XX 5/16" to 3/8" material.		5/16 3/8
CWA-XX 5/16" to 1/2" material.		5/16 1/2

REDUCERS

CRS-XX-A 1/4" material to floor.		1/4 0
CRS-XX-B 3/8" material to floor.		3/8 0
CRS-XX-D 1/2" material to floor.		1/2 0
SSR-XX-B 35° roll 1/16" or 1/8" material to floor.		1/16 .080 1/8 0
SSR-XX-D 1/8" to .080" material.		1/8 .080 0
RRS-XX-B 3° pieces .080" material to floor.		.080 0
RRS-XX-C 3° pieces 1/8" material to floor.		1/8 0
RRS-XX-D 25° roll 1/8" material to floor.		1/8 0

TRACK FOR T-MOULDINGS

CDB-00-A Rigid Vinyl Pinless for adhesive installations. Neutral color only.	
MT-00-A Aluminum pinless for adhesive installations.	
MTC-00-A Aluminum contour track for adhesive installations. 6" minimum radius.	
MT-00-B Aluminum pin type for stretch-in installations.	
MTC-00-B Aluminum pin type contour track for stretch-in installations. 6" minimum radius.	

FLOOR FINISHING

FINISHING ACCESSORIES

SLIM LINE TRANSITIONS

SLT-XX-A SLTC-XX-A* 1/4" to 1/8" material.	
SLT-XX-B SLTC-XX-B* .080" to 1/8" material.	
SLT-XX-C SLTC-XX-C* .080" to 1/4" material.	
SLT-XX-F SLTC-XX-F* 1/4" to 3/8" material.	
SLT-XX-G SLTC-XX-G* 1/4" to 1/2" material.	
SLT-XX-H† SLTC-XX-H*† 1/4" to .080" material.	
SLT-XX-J SLTC-XX-J* .080" or 1/8" material to subfloor.	
SLT-XX-L† SLTC-XX-L*† 1/4" material to subfloor.	

*Slim line transitions available for materials with a contour edge.



*Slim line also available in metallic colors. See [Color Guide](#) for availability.

†Non ADA Compliant

WHEELED TRAFFIC TRANSITIONS

CTA-XX-H 1/4" to 1/8" material.		CTA-XX-M 1/4" to 1/4" material.	
CTA-XX-HL 1/4" to 1/8" material.		CTA-XX-N 1/8" to 1/8" material.	
CTA-XX-HT 1/4" to .080" or 2 mm material.		CTA-XX-P 3/8" material to subfloor.	
CTA-XX-J 1/4" material to subfloor.		CTA-XX-PL 3/8" material to subfloor.	
CTA-XX-JL 1/4" material to subfloor.		CTA-XX-Q 1/2" material to subfloor.	
CTA-XX-K 3/8" to 1/8" material.		CTA-XX-X 1/8" to .080" material.	
CTA-XX-L 3/8" to 1/4" material.		CTA-XX-Y .080" to .080" material.	
		CTA-XX-Z 3/8" to .080" material.	


†Non ADA Compliant

FLOOR FINISHING


FINISHING ACCESSORIES

T-MOULDINGS

VT-XX-M2
3' pieces
5-1/2" exposed
surface threshold
for stretch-in or
adhered carpet
and ceramic.




VT-XX-M6
3' pieces
1-3/4" exposed
surface threshold
for stretch-in or
adhered carpet
and ceramic.




COVE CAPS


SCC-XX-A**
For 1/8" materials.




CCC-XX-B
9/32" inside dimension.




SCC-XX-B**
For 1/8" materials.



CCC-XX-C**
For 1/4" materials.



CCC-XX-A**
For 1/4" or 5/16" materials.




SCC-XX-D
with self-stick
tape
For .080" materials.




**Also available in metallic colors. See [Color Guide](#) for availability.

COVE FILLER STRIPS

CFS-00
1-3/4" radius.



CFS-00-A
1-1/4" radius.



CFS-00-M
5' pieces
.5" radius.



Due to the use of Pre-consumer recycled content, color of cove filler strips will vary.


FLOOR FINISHING

FINISHING ACCESSORIES

FLEXIBLE VINYL CORNER GUARDS


VBG-XX-B-48 VBG-XX-B-96

4' or 8' pieces
Corner guard.
3/4" returns.
1/8" thick.
Tapered ends.




VBG-XX-A-48 VBG-XX-A-96

4' or 8' pieces
Corner guard.
1-1/2" returns.
1/8" thick.
Tapered ends.




VBG-XX-48 VBG-XX-96

4' or 8' pieces
Corner guard.
2-3/8" returns.
1/8" thick.
Tapered ends.



VBG-XX-C


8' pieces
Millwork profile corner guard.
1-1/4" returns, 1/4" thick. See
Color Guide for availability



EDGE GUARDS

EG-XX-G

5/16" material to
floor.




5/16

0

EG-XX-H

1/4" material to
floor.




1/4

0

EG-XX-J

3/16" material to
floor.




3/16

0

EG-XX-K†

3/16" material to
floor.



3/16

0

EG-XX-L†

5/16" material to
floor.



5/16

0

EG-XX-W†

3/8" material to
floor.



3/8

0

ColorMatch®:

For available colors, reference ColorMatch,
located in the [Color Guide](#).

C = Johnsonite ColorMatch color
offering

FEATURE STRIPS

FS-XX-DW3

50' roll

1" wide
feature strip for
1/8" material.



1/8

1/8

TUB MOULDINGS

TM-50*

5' pieces
(self-stick)

Luster finish
cove for bathtub,
counter and
shelves.
1-1/2" height.



TM-50-A*

5' pieces
(self-stick)

Luster finish
cove for bathtub,
counter and
shelves.
1" height.



*Available in 50 White W only.
†Non ADA Compliant



Flexible Corner Guards

Johnsonite's corner guards will not only
complement the interior space, but also
work to protect your finished design.

- Will not shrink, crack or chip
- Four return sizes: 2-3/8", 1-1/2", 3/4" and 1-1/4"

SUBFLOOR LEVELER SYSTEM


FINISHING ACCESSORIES

SUBFLOOR LEVELER SYSTEM COMPONENTS (BLACK ONLY)

LS-40-F

4' pieces


Reduces 1/8" to 0."



LS-40

4' pieces


Reduces 1/4" to 0." Can be cut at score line to reduce height as indicated.



LS-40-K

4' pieces


Reduces 1/4" to 0." Levelled edge for tack strip installation.



LS-40-D

4' pieces


Reduces 3/8" to 0." Can be cut at score line to reduce height as indicated.



LS-40-E

4' pieces


Reduces 1/2" to 0." Can be cut at score line to reduce height as indicated.



LS-40-G

4' pieces


Reduces 3/4" to 0."



LS-40-B

4' pieces


Reduces 3/8" to 1/4." Can be used alone or with LS-40 to extend transition.




LS-40-C

4' pieces

Reduces 1/2" to 3/8." Can be used alone or with LS-40-D or LS-40-B to extend transition.





SubFloor Leveler System LS 40
iQ Optima

SubFloor Leveler System **U.S. Patent No. 7,174,682 Quick Fix**

We've practically eliminated the need for traditional floor levelers— and the labor and curing time they require. Our patented SubFloor Leveler System provides a gradual ramp between different flooring elevations, creating a smooth transition and fewer trips and falls. With easy installation and the ability to lay flooring immediately over top, it keeps everything moving swiftly—from your project to your foot traffic.